

Safety Data Sheet

Facet L

Revision date : 2017/11/29
Version: 3.0

Page: 1/11
(30523442/SDS_CPA_CA/EN)

1. Identification

Product identifier used on the label

Facet L

Recommended use of the chemical and restriction on use

Recommended use*: herbicide

* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

Company:

BASF Canada Inc.
100 Milverton Drive
Mississauga, ON L5R 4H1, CANADA

Telephone: +1 289 360-1300

Emergency telephone number

CANUTEC (reverse charges): (613) 996-6666
BASF HOTLINE: (800) 454-COPE (2673)

Other means of identification

Molecular formula: C₁₀ H₅ Cl₂ N O₂
PCP # 31539
Synonyms: quinclorac

2. Hazards Identification

According to Controlled Products Regulations (CPR) (SOR/88-66)

Emergency overview

KEEP OUT OF REACH OF CHILDREN.
Harmful if swallowed.
Avoid inhalation of mists/vapours.
Avoid contact with the skin, eyes and clothing.
Wash thoroughly after handling.

Safety Data Sheet

Facet L

Revision date : 2017/11/29
Version: 3.0

Page: 2/11
(30523442/SDS_CPA_CA/EN)

3. Composition / Information on Ingredients

According to Hazardous Products Regulations (HPR) (SOR/2015-17)

<u>CAS Number</u>	<u>Weight %</u>	<u>Chemical name</u>
84087-01-4	15.95 %	quinclorac
107-21-1	25.0 - 75.0%	ethylene glycol
124-40-3	1.0 - 5.0%	dimethylamine

According to Controlled Products Regulations (CPR) (SOR/88-66)

<u>CAS Number</u>	<u>Weight %</u>	<u>Chemical name</u>
107-21-1	50.0 %	ethylene glycol
84087-01-4	15.95 %	quinclorac

4. First-Aid Measures

Description of first aid measures

General advice:

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention. Immediately administer a corticosteroid from a controlled/metered dose inhaler.

If on skin:

Immediately wash thoroughly with plenty of water, apply sterile dressings, consult a skin specialist.

If in eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Safety Data Sheet

Facet L

Revision date : 2017/11/29

Version: 3.0

Page: 3/11

(30523442/SDS_CPA_CA/EN)

Suitable extinguishing media:
foam, dry powder, carbon dioxide, water spray

Special hazards arising from the substance or mixture

Hazards during fire-fighting:
carbon monoxide, carbon dioxide, nitrogen dioxide, Hydrogen chloride, halogenated hydrocarbons, Hydrocarbons,
Traces of the substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Protective equipment for fire-fighting:
Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Further information:

Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Take appropriate protective measures. Clear area. Shut off source of leak only under safe conditions. Extinguish sources of ignition nearby and downwind. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater. Contain contaminated water/firefighting water.

Methods and material for containment and cleaning up

Dike spillage. Pick up with suitable absorbent material. Place into suitable containers for reuse or disposal in a licensed facility. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

7. Handling and Storage

Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Sources of ignition should be kept well clear. Avoid extreme heat. Keep away from oxidizable substances. Electrical equipment should conform to national electric code. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

Conditions for safe storage, including any incompatibilities

Segregate from incompatible substances. Segregate from foods and animal feeds. Segregate from textiles and similar materials.

Safety Data Sheet

Facet L

Revision date : 2017/11/29

Version: 3.0

Page: 4/11

(30523442/SDS_CPA_CA/EN)

Further information on storage conditions: Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame. Protect containers from physical damage. Protect against contamination. The authority permits and storage regulations must be observed. Protect from temperatures above: 40 °C
Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

Components with occupational exposure limits

ethylene glycol

ACGIH TLV CLV 100 mg/m³ aerosol ;

dimethylamine

OSHA PEL PEL 10 ppm 18 mg/m³ ; TWA value 10 ppm
18 mg/m³ ;

ACGIH TLV TWA value 5 ppm ; STEL value 15 ppm ;

Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

Personal protective equipment

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Take off immediately all contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

Safety Data Sheet

Facet L

Revision date : 2017/11/29

Version: 3.0

Page: 5/11

(30523442/SDS_CPA_CA/EN)

9. Physical and Chemical Properties

Form:	liquid
Odour:	characteristic
Odour threshold:	Not determined due to potential health hazard by inhalation.
Colour:	yellow
pH value:	approx. 7.9 - 9.9 (1 %(m), 25 °C)
Boiling point:	approx. 197.4 °C (1,013 hPa)
Flash point:	Information applies to the solvent. approx. 111 °C
Flammability:	Information applies to the solvent. not applicable
Autoignition:	approx. 398 °C
Vapour pressure:	Information applies to the solvent. approx. 0.123 hPa (measured) (25 °C)
Density:	Information applies to the solvent. approx. 1.13 g/cm ³ (20 °C)
Vapour density:	not applicable
Partitioning coefficient n-octanol/water (log Pow):	The statements are based on the properties of the individual components.
<i>Information on: quinclorac</i>	
Partitioning coefficient n-octanol/water (log Pow):	-0.74 (Directive 92/69/EEC, A.8) (20 °C)
	-3.74 (Directive 92/69/EEC, A.8) (20 °C)
	1.76 (Directive 92/69/EEC, A.8) (20 °C)

Thermal decomposition:	carbon monoxide, carbon dioxide, nitrogen dioxide, Hydrogen chloride, halogenated hydrocarbons, Hydrocarbons Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. No decomposition if stored and handled as prescribed/indicated.
Viscosity, dynamic:	approx. 10.27 mPa.s (20 °C)
Solubility in water:	dispersible
Evaporation rate:	not applicable
Other Information:	If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties:

Based on its structural properties the product is not classified as oxidizing.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Safety Data Sheet

Facet L

Revision date : 2017/11/29
Version: 3.0

Page: 6/11
(30523442/SDS_CPA_CA/EN)

Possibility of hazardous reactions

The product is chemically stable.
Hazardous polymerization will not occur. No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid

Avoid all sources of ignition: heat, sparks, open flame. Avoid prolonged storage. Avoid electro-static discharge. Avoid contamination. Avoid prolonged exposure to extreme heat. Avoid extreme temperatures.

Incompatible materials

strong oxidizing agents, strong bases, strong acids

Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

Possible thermal decomposition products:

carbon monoxide, carbon dioxide, nitrogen dioxide, Hydrogen chloride, halogenated hydrocarbons, Hydrocarbons

Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released.

No decomposition if stored and handled as prescribed/indicated.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Slightly toxic after single ingestion. Relatively nontoxic after short-term inhalation. Relatively nontoxic after short-term skin contact.

Oral

Type of value: LD50

Species: rat

Value: > 2,000 mg/kg

No mortality was observed.

Inhalation

Type of value: LC50

Species: rat

Value: > 5.2 mg/l

Exposure time: 4 h

No mortality was observed.

Dermal

Type of value: LD50

Species: rat

Safety Data Sheet

Facet L

Revision date : 2017/11/29

Version: 3.0

Page: 7/11

(30523442/SDS_CPA_CA/EN)

Value: > 5,000 mg/kg

Assessment other acute effects

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

The product has not been tested. The statement has been derived from the properties of the individual components.

Irritation / corrosion

Assessment of irritating effects: May cause slight irritation to the skin. May cause moderate but temporary irritation to the eyes.

Skin

Species: rabbit

Result: non-irritant

Method: OECD Guideline 404

Eye

Species: rabbit

Result: non-irritant

Method: OECD Guideline 405

Sensitization

Assessment of sensitization: Skin sensitizing effects were not observed in animal studies.

modified Buehler test

Species: guinea pig

Result: Non-sensitizing.

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: ethylene glycol

Assessment of repeated dose toxicity: The substance may cause damage to the kidney after repeated ingestion. The substance may cause damage to the kidney after repeated skin contact with high doses.

Information on: dimethylamine

Assessment of repeated dose toxicity: The substance may cause damage to the upper respiratory tract after repeated inhalation, as shown in animal studies.

Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

Reproductive toxicity

Safety Data Sheet

Facet L

Revision date : 2017/11/29
Version: 3.0

Page: 8/11
(30523442/SDS_CPA_CA/EN)

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Quinclorac

Assessment of teratogenicity: No indications of a developmental toxic / teratogenic effect were seen in animal studies.

Information on: ethylene glycol

Assessment of teratogenicity: Developmental toxicity was observed after oral ingestion of high doses in studies with rats and mice, but this effect was not seen in a study with rabbits. Mechanistic studies show that the rabbit is the relevant species for the classification for human health. As such, and since ethylene glycol is not a developmental toxicant in the rabbit, no classification is warranted. Embryotoxicity and teratogenicity was observed in animal studies, in the absence of maternal toxicity. However, the relevance of this result for humans is unclear.

Other Information

Misuse can be harmful to health.

Symptoms of Exposure

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

12. Ecological Information

Toxicity

Toxicity to fish

Information on: quinclorac

LC50 (96 h) > 100 mg/l, Salmo gairdneri, syn. O. mykiss

Aquatic invertebrates

Information on: quinclorac

*LC50 (96 h) 67 mg/l, Mysidopsis bahia
LC50 (96 h) > 100 mg/l, Daphnia magna*

Aquatic plants

Information on: quinclorac

*EC50 (96 h) > 100 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static)
No observed effect concentration (96 h) 19.3 mg/l, Chlorella fusca
EC50 (96 h) 43.6 mg/l, Chlorella fusca*

Chronic toxicity to fish

Safety Data Sheet

Facet L

Revision date : 2017/11/29
Version: 3.0

Page: 9/11
(30523442/SDS_CPA_CA/EN)

Information on: quinclorac
No observed effect concentration (38 d) 31 mg/l, Pimephales promelas

Chronic toxicity to aquatic invertebrates

Information on: quinclorac
No observed effect concentration (21 d) 110 mg/l, Daphnia magna

Assessment of terrestrial toxicity

With high probability not acutely harmful to terrestrial organisms.

Persistence and degradability

Assessment biodegradation and elimination (H₂O)

The product has not been tested. The statement has been derived from the properties of the individual components.

Assessment biodegradation and elimination (H₂O)

Information on: quinclorac

Not readily biodegradable (by OECD criteria).

Bioaccumulative potential

Assessment bioaccumulation potential

The product has not been tested. The statement has been derived from the properties of the individual components.

Mobility in soil

Assessment transport between environmental compartments

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: quinclorac

Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

13. Disposal considerations

Waste disposal of substance:

See product label for disposal and recycling instructions.

Safety Data Sheet

Facet L

Revision date : 2017/11/29
Version: 3.0

Page: 10/11
(30523442/SDS_CPA_CA/EN)

Container disposal:

Rinse the container or liner as needed for disposal. Add rinsate to spray tank. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers. Consult the product label for additional details.

14. Transport Information

Land transport

TDG

Not classified as a dangerous good under transport regulations

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

15. Regulatory Information

Federal Regulations

Registration status:

Crop Protection DSL, CA released / exempt

Chemical DSL, CA released / listed

According to Controlled Products Regulations (CPR) (SOR/88-66)

WHMIS does not apply to this product.

THIS PRODUCT HAS BEEN CLASSIFIED IN ACCORDANCE WITH THE HAZARD CRITERIA OF THE CPR AND THE MSDS CONTAINS ALL THE INFORMATION REQUIRED BY THE CPR.

16. Other Information

SDS Prepared by:

BASF NA Product Regulations

SDS Prepared on: 2017/11/29

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

Safety Data Sheet

Facet L

Revision date : 2017/11/29
Version: 3.0

Page: 11/11
(30523442/SDS_CPA_CA/EN)

END OF DATA SHEET